



09/ 785559

PATENT

COFC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application : Karl-Heinz Boven, et al.
Patent No. : 6,815,197 **B2**
Issued : November 9, 2004
For : APPARATUS FOR CONDUCTING ELECTROPHYSIOLOGICAL
MEASUREMENTS ON CELLS
Attorney's Docket : WITTE-011XX

I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope
addressed to: ATTN: Certificates of Correction, Commissioner for
Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on 8-17-05.

By: 

Charles L. Gagnebin III
Registration No. 25,467
Attorney of Record

LETTER Certificate

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Certificates of Correction

AUG 24 2005
of Correction

Sir:

Enclosed are two completed copies of Form PTO 1050. It is
requested that a Certificate of Correction be issued to correct the
mistakes of the Patent Office in the printing of the above-identified
patent.

Respectfully submitted,

KARL-HEINZ BOVEN, ET AL.

By: 

Charles L. Gagnebin III
Registration No. 25,467
Attorney of Record

WEINGARTEN, SCHURGIN,
GAGNEBIN & LEOVICI LLP
Ten Post Office Square
Boston, Massachusetts 02109
Telephone: (617) 542-2290
Telecopier: (617) 451-0313

CLG/doc
Enclosures
325028

AUG 24 2005

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,815,197 *B2*
DATED : November 9, 2004
INVENTOR(S) : Karl-Heinz Boven, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 2, line 57, "upm" should read -- μ m--;

Column 3, line 13, "con-trolled" should read --controlled--;

Column 11, line 40, "wherein least" should read --wherein at least--; and

Column 11, line 42, "wherein least" should read --wherein at least--.

MAILING ADDRESS OF SENDER:

Weingarten, Schurgen, Gagnebin & Lebovici LLP
Ten Post Office Square
Boston, Massachusetts 02109

PATENT NO. 6,815,197**No. of additional copies**

0



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22323-1450. WITTE-011XX/325036

AUG 24 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control Number

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : 6,815,197 *B2*
DATED : November 9, 2004
INVENTOR(S) : Karl-Heinz Boven, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 2, line 57, "µpm" should read --µm--;

Column 3, line 13, "con-trolled" should read --controlled--;

Column 11, line 40, "wherein least" should read --wherein at least--; and

Column 11, line 42, "wherein least" should read --wherein at least--.

MAILING ADDRESS OF SENDER:

Weingarten, Schurgen, Gagnebin & Lebovici LLP
Ten Post Office Square
Boston, Massachusetts 02109

PATENT NO. 6,815,197

No. of additional copies

0



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22323-1450. WITTE-011XX/325036

AUG 24 2005